

| System/Service | Type | Function | Data Maintenance | Retention Period |
|---------------------------------------|--|--|---|---|
| Active Directory | Application Data | Windows directory management for C&IT and select University departments. | Maintained [1] | Replication being implemented Fall 2012 in lieu of backups. |
| Ad Astra (Room Scheduling) | Application Data | Provides automated room scheduling for classrooms and events. | Maintained [1] | |
| Ad Astra (Room Scheduling) | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |
| Ad Astra (Room Scheduling) | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| AppWorx (Job Scheduler) | Application data | Contains administrative systems job scheduling information. | Maintained [1] | |
| AppWorx (Job Scheduler) | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |
| AppWorx (Job Scheduler) | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| Banner Administrative System | Application Data | The integrated ERP system managing data for the Human Resources, Finance, Alumni/Advancement, Student, and Financial Aid applications in the University. | Maintained [1] | |
| | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |
| | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| Banner Application Logs | BANSECR logs | Violation log for Banner processes managed by Banner Security. Stored as part of the Banner Database. | Maintained [1] | |
| Banner Application Logs | Logfile - Grade Changes, Term information, holds | Insertion, Update, and Deletion information about selected data on these topics. Stored as part of the Banner Database. | Maintained [1] | |
| Banner Imaging | Application Data | To manage electronic documents stored in association with the Banner ERP system. | | 4 months |
| Banner Workflow -- Prod | Application Data | Stores the metadata to implement business practices in work flows. Stored as part of the Banner Database. | | n/a |
| Banner Workflow -- Prod | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |
| Banner Workflow -- Prod | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| Blackboard Learning Management System | Application Data | Course management and learning system that contains data entered by faculty, students, and staff categorized by course or organization. All courses and orgs that ever had a Blackboard presence continue to be preserved. | 2 separate Web server logs, and 1 log that lives in the database. Database statistics in the 'live' table are kept for 6 months, in the 'stats' table for 2 years. Web server logs are kept for 3 months. | 45 days onsite, 2 months remote |
| Blackboard Learning Management System | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |

| | | | | |
|---|--|---|---|---------------------------------|
| Blackboard Learning Management System | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| Broadcast Messaging Service | Application Data | System for e-mail, text, and IM messaging to all WSU faculty, staff, and students, for emergency, academic, and administrative communications. | Maintained [1] | |
| C&IT Change Management Application | Application Data | C&IT tool for tracking changes to major systems. | Maintained [1] | |
| CallTracker | Application Data | C&IT tool for tracking Help Desk and other support requests. This system has been replaced by TechSolutions for Help Desk usage. It is still being used by various departments around campus. | Maintained [1] | |
| Cashiering | Application Data | A system, hosted by the vendor IDC that handles in-person and Web payment cashiering transactions. There are interfaces to and from the Banner ERP system. | | |
| Cisco Network Admission Control (was Clean Access) | Application Data | Server used to screen computers in WSU Residence Halls & apartments for patching, malware, etc. | Maintained [1] | 200K records (roughly 30 days) |
| Coeus | Application Data | System that maintains information about research grant processing, from requesting to budget. Will no longer be a C&IT Maintained database after 10/1/2013 | Maintained [1] | |
| Coeus | Listener Logs | Research Maintained | | |
| Coeus | Oracle Alert Log | Research Maintained | | |
| Cognos Application Server | Cognos Detail Activities Log | Request for Cognos Services including the requesters ID, Report Name, and error messages. | | 2 months |
| Cognos Application Server | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |
| Cognos Application Server | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| Dadmin -- Directory Administration Tool | Application Data | C&IT tool for administering WSU Access IDs. | Dadmin actions are recorded in several places. Every Dadmin action done since the release of Dadmin has been logged. There are currently no plans to truncate this log. | 45 days onsite, 2 months remote |
| Echelon | Application Data | Manages IP vulnerabilities and Recording Rights Warnings | Maintained [1] | |
| FMLA Source | Application Data | A system, hosted by the vendor that handles FMLA requests. System is fed by information from the Banner ERP system. | Maintained [1] | |
| FTP Server (for non-anonymous logins) | Rolling log determined by available storage. | C&IT tool for making software available. | Maintained [1] | 45 days onsite, 2 months remote |
| Housing Management System -- This is a local WSU system | Application Data | System that contains housing eligibility and performs housing recruitment and applications. It also maintains housing accounts for occupants. Interfaces from Banner to Housing. | Maintained [1] | |
| LDAP | Rolling log determined by size (currently 105MB; lasts about 30 minutes) | Current access management system. | Maintained [1] | 45 days onsite, 2 months remote |

| | | | | |
|--|--|---|--|---|
| Lecture Capture (Echo 360) | Rolling log determined by available storage. | A system to record, store, and retrieve classroom lectures. | Maintained [1] | Local 45 days - remote 2 months |
| Meru (RADIUS?) | Application Data | Server that manages authentication for access to campus WiFi. | See QRadar Data Maintenance | No data stored |
| One Card | Application Data | System that contains eligibility and enrollment information for WSU's multi-purpose identification and debit card. Also maintains data such as cash balance associated with a One Card. Interfaces from Banner to One Card and from One Card to Banner. | Maintained [1, 3] | |
| Online Hiring System (People Admin) | Application Data | A system, hosted by the vendor that handles job postings and applications. There are interfaces to the ODS reporting system. | Maintained [1] | |
| Operational Data Store (ODS) and Enterprise Data Warehouse (EDW) | Application Data | Where WSU's reporting data, mostly coming from Banner, is extracted and maintained for administrative reporting purposes. | Maintained [1] | |
| Parking | Application Data | Parking is the system that contains parking enrollment information. | Maintained [1] | |
| Pipeline/Luminis | Application Data | Wayne State University's internal portal. | Rolling log determined by size (currently 10MB) | Local 45 days, remote 2 months |
| Pipeline/Luminis | Application Data | Wayne State University's internal portal. | Temporary Files: 6 hrs | |
| Pipeline/Luminis | Error Log / Alert Log | Web server error messages and starts up and shut downs of web services | | 120 days |
| Pipeline/Luminis | Access Log | Contains the requester's incoming IP address and calling program to web services of the requester, calling program. | | 120 days |
| QRadar | Application Data | Security service for anomaly detection and event correlation. | All Views – Group Database: 1 week | N/A |
| QRadar | Application Data | Security service for anomaly detection and event correlation. | Unused Databases: 4 weeks | |
| QRadar | Application Data | Security service for anomaly detection and event correlation. | Identity History: 30 days | Local 45 days, remote 2 months |
| QRadar | Application Data | Security service for anomaly detection and event correlation. | Attacker History: 30 days | |
| QRadar | Application Data | Security service for anomaly detection and event correlation. | Asset Profile: 30 days | |
| QRadar | Application Data | Security service for anomaly detection and event correlation. | Device Log Data: 30 days | |
| Researchers Dashboard | Application Data | Portal that provides researchers with access to grants administration data from Banner, Coeus and Banner Imaging. | No data stored | Web Server logs for 6 months |
| Salesforce | Application Data | A vendor-hosted CRM system for tracking customer contacts with students and staff. System is fed by information from the Banner ERP system. | Maintained [1] | Vendor-managed application backups http://trust.salesforce.com/trust/security/ (WSU does not provide backup services.) |
| Software Clearinghouse -- now Magento??? | Application Data | C&IT service for providing licensed software to authorized users. The actual purchasing system is handled offsite. | Rolling log determined by size (currently 105MB; lasts about | Local 45 days - remote 2 months |
| Space Management – ARCHIBUS / CFI | Application Data | A system, hosted by vendor's the implementation partner CFI to maintain usage and architectural data for buildings and rooms in the University. | Maintained [1] | Vendor-managed application (WSU does not provide backup services.) |

| | | | | |
|--------------------------------|------------------------|---|---|---|
| STARS | Application Data | System provides student advising support. | Maintained [1] | ? |
| TALX | Application Data | A system, hosted by the vendor TALX that handles employment verification, unemployment and I9 processing. There are interfaces to and from the Banner ERP system. | Maintained [1] | |
| Tech Solutions (Footprints) | Application Data | IT Service Management system used by C&IT and the School of Medicine | Maintained [1] | Indefinite at this time. |
| Time and Attendance, WorkForce | Application Data | A system, hosted by the vendor Workforce to manage a subset of FP&M employees (custodial) time and attendance. There are interfaces to and from the Banner ERP system. | Maintained [1] | |
| Travel Wayne / Concur | Application Data | A system, hosted by the vendor Concur that handles travel requests. There are interfaces to the Banner ERP system. | Maintained [1] | |
| Voicemail System | Application Data | System for recording messages left on University telephones. | Maintained [1]. | New messages are purged in 30 days. Deleted messages are purged in 15 days. Saved messages are purged in 23 days. |
| VPN (Virtual Private Network) | Application Data | Server for secure offsite access. | N/A | 30 days |
| Wayne Connect | Application Data | Wayne State University's communication and collaboration system. | Maintained [1,3,4]. Deleted if user down-loads to desktop with POP. | 1 month provided by vendor (WSU does not provide backup services.) |
| WayneBuy - SciQuest | Application Data | A system, hosted by the vendor SciQuest that handles purchasing requests. There are interfaces to and from the Banner ERP system. | Maintained [1] | |
| WaynePM - Halogen | Application Data | A system, hosted by the vendor Halogen, that handles performance appraisal data. There are interfaces to and from the Banner ERP system. | Maintained [1] | |
| Windstar | Application Data | The system does tax reporting for employees that are not US citizens and not permanent residents. There are interfaces between Banner and Windstar. | Maintained [1] | |
| WSU Blog Facility | Application Data | Blog server. | Maintained [1,2] | Local 45 days - remote 2 months |
| Appworx | Data Base | Store data for the Banner ERP application. Store data for numerous home grown applications generally associated with the Banner ERP systems. | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| Astra | Data Base | Store data for home grown applications | | |

| | | | | |
|------------|------------------------|---|--|---------|
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| Blackboard | Data Base | Store Data for the Production Job Scheduler | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| Coelus | Data Base | Store Data for the Production Batch Report viewing system | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| Footprints | Data Base | Store Data for the Production Incident and Problem mgmt. system | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |

| | | | | |
|---------|------------------------|---|--|---------|
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| Luminis | Data Base | Store Data for the Production Portal | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| ODS/EDW | Data Base | Store operational and Strategic Reporting Data | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| OIM | Data Base | Store Data for the Production Research Management System | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| SEC | Data Base | Store Data for the Production Classroom scheduling System | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |

| | | | | |
|---------------|------------------------|---|--|----------|
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| Smarti | Data Base | Store Data for the Production Security Management System | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| SPRD | Data Base | Store Data for the Production Oracle Identity Management System | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 28 days |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 28 days |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 28 days |
| WSU1 / Banner | Data Base | Store Data for the Production Course Management System | | |
| | Oracle Alert Log | Contains Startups, Shut downs, database structural maintenances and DB errors. | | 1 year |
| | Oracle Audit Log | Tracks log ins, log offs, program making the connection, and state changes. Tracks changes to any Oracle objects marked for logging. Generally C&IT does not mark a lot of objects for logging. Stored as part of the database, not separate from the database. | | 4 months |
| | Oracle Database Backup | Contains copy of (changes in) the data used to recover the database. | | 4 months |
| | Oracle Archive Log | Contains redo information for recovery and DR processing | | 4 months |